


# Cold formed Profiles

## Omega-Hut-Profiles / Cold formed sheet piles from own production


Type	Wy cm <sup>3</sup> /m	Iy cm <sup>4</sup> /m	Width mm	Height mm	Thickness mm	Weight kg/m	Weight kg/m <sup>2</sup>
MKL 3-4	302	2.209	700	150	4	32,4	46,3
MKL 3-5	374	2.753	700	152	5	40,4	57,7
MKL 3-6	455	3.369	700	154	6	48,5	69,3
MKL 3-7	540	4.004	700	156	7	56,3	80,4
MKL 3-8	600	4.460	700	158	8	64,2	91,7
MKL 3-9	680	5.120	700	160	9	72	102,9

Type	Wy cm <sup>3</sup> /m	Iy cm <sup>4</sup> /m	Width mm	Height mm	Thickness mm	Weight kg/m	Weight kg/m <sup>2</sup>
MKL 4-5	774	10.920	710	294	5	49,5	69,7
MKL 4-6	933	13.530	710	296	6	57,9	81,6
MKL 4-7	1080	15.701	710	298	7	67,3	94,8
MKL 4-8	1230	17.896	710	300	8	76,7	108,1
MKL 4-9	1380	20.896	710	302	9	85,6	120,6

MKL 3




MKL 4




Type	Wy cm <sup>3</sup> /m	Iy cm <sup>4</sup> /m	Width mm	Height mm	Thickness mm	Weight kg/m	Weight kg/m <sup>2</sup>	Coating area m <sup>2</sup> /m
MKZ 785-5	605	8.395	785	276	5	41,9	53,4	2,52
MKZ 785-6	724	10.053	785	277	6	50,4	64,2	2,52
MKZ 785-7	836	11.657	785	278	7	58,4	74,4	2,52
MKZ 785-8	951	13.302	785	279	8	66,6	84,8	2,52
MKZ 785-9	1.067	14.944	785	280	9	74,8	95,3	2,52

Type	Wy cm <sup>3</sup> /m	Iy cm <sup>4</sup> /m	Width mm	Height mm	Thickness mm	Weight kg/m	Weight kg/m <sup>2</sup>	Coating area m <sup>2</sup> /m
MKZ 675-5	972	18.500	675	376	5	41,9	62,1	2,89
MKZ 675-6	1164	22.131	675	377	6	50,4	74,7	2,89
MKZ 675-7	1350	25.698	675	378	7	58,4	86,5	2,89
MKZ 675-8	1540	29.332	675	379	8	66,6	98,7	2,89
MKZ 675-9	1728	32.914	675	380	9	74,8	110,8	2,89

MKZ 785



MKZ 675



# Cold formed Profiles

## Trench Sheeting

Type	Wy cm <sup>3</sup> /m	Iy cm <sup>4</sup> /m	Breite mm	Höhe mm	Dicke mm	Gewicht kg/m	Gewicht kg/m <sup>2</sup>
MKD VI/6	182	726	600	78	6	37,5	62,5
MKD VI/8	242	968	600	80	8	50	83,3

MKD

